



## Visual Basic .NET Windows Forms Properties

A tabela abaixo contém a relação completa de propriedades de um formulário (form) da linguagem VB .NET.

Propriedade	Descrição
<b>AcceptButton</b>	Gets or sets the button on the form that is clicked when the user presses the ENTER key.
<b>AccessibilityObject</b>	Gets the AccessibleObject assigned to the control. (Inherited from Control.)
<b>AccessibleDefaultActionDescription</b>	Gets or sets the default action description of the control for use by accessibility client applications. (Inherited from Control.)
<b>AccessibleDescription</b>	Gets or sets the description of the control used by accessibility client applications. (Inherited from Control.)
<b>AccessibleName</b>	Gets or sets the name of the control used by accessibility client applications. (Inherited from Control.)
<b>AccessibleRole</b>	Gets or sets the accessible role of the control (Inherited from Control.)
<b>ActiveControl</b>	Gets or sets the active control on the container control. (Inherited from ContainerControl.)
<b>ActiveForm</b>	Gets the currently active form for this application.
<b>ActiveMdiChild</b>	Gets the currently active multiple-document interface (MDI) child window.
<b>AllowDrop</b>	Gets or sets a value indicating whether the control can accept data that the user drags onto it. (Inherited from Control.)
<b>AllowTransparency</b>	Infrastructure. Gets or sets a value indicating whether the opacity of the form can be adjusted.
<b>Anchor</b>	Gets or sets the edges of the container to which a control is bound and determines how a control is resized with its parent. (Inherited from Control.)
<b>AutoScale</b>	Obsolete. Gets or sets a value indicating whether the form adjusts its size to fit the height of the font used on the form and scales its controls.
<b>AutoScaleBaseSize</b>	Gets or sets the base size used for autoscaling of the form.
<b>AutoScaleDimensions</b>	Gets or sets the dimensions that the control was designed to. (Inherited from ContainerControl.)
<b>AutoScaleFactor</b>	Gets the scaling factor between the current and design-time automatic scaling dimensions. (Inherited from ContainerControl.)
<b>AutoScaleMode</b>	Gets or sets the automatic scaling mode of the control. (Inherited from ContainerControl.)

Propriedade	Descrição
<b>AutoScroll</b>	Gets or sets a value indicating whether the form enables autoscrolling. (Overrides ScrollableControl.AutoScroll.)
<b>AutoScrollMargin</b>	Gets or sets the size of the auto-scroll margin. (Inherited from ScrollableControl.)
<b>AutoScrollMinSize</b>	Gets or sets the minimum size of the auto-scroll. (Inherited from ScrollableControl.)
<b>AutoScrollOffset</b>	Gets or sets where this control is scrolled to in ScrollControlIntoView. (Inherited from Control.)
<b>AutoScrollPosition</b>	Gets or sets the location of the auto-scroll position. (Inherited from ScrollableControl.)
<b>AutoSize</b>	Resize the form according to the setting of AutoSizeMode. (Overrides Control.AutoSize.)
<b>AutoSizeMode</b>	Gets or sets the mode by which the form automatically resizes itself.
<b>AutoValidate</b>	Gets or sets a value that indicates whether controls in this container will be automatically validated when the focus changes. (Overrides ContainerControl.AutoValidate.)
<b>BackColor</b>	Gets or sets the background color for the control. (Overrides Control.BackColor.)
<b>BackgroundImage</b>	Gets or sets the background image displayed in the control. (Inherited from Control.)
<b>BackgroundImageLayout</b>	Gets or sets the background image layout as defined in the ImageLayout enumeration. (Inherited from Control.)
<b>BindingContext</b>	Gets or sets the BindingContext for the control. (Inherited from ContainerControl.)
<b>Bottom</b>	Gets the distance, in pixels, between the bottom edge of the control and the top edge of its container's client area. (Inherited from Control.)
<b>Bounds</b>	Gets or sets the size and location of the control including its nonclient elements, in pixels, relative to the parent control. (Inherited from Control.)
<b>CancelButton</b>	Gets or sets the button control that is clicked when the user presses the ESC key.
<b>CanEnableIme</b>	Gets a value indicating whether the ImeMode property can be set to an active value, to enable IME support. (Inherited from ContainerControl.)
<b>CanFocus</b>	Gets a value indicating whether the control can receive focus. (Inherited from Control.)
<b>CanRaiseEvents</b>	Determines if events can be raised on the control. (Inherited from Control.)
<b>CanSelect</b>	Gets a value indicating whether the control can be selected. (Inherited from Control.)
<b>Capture</b>	Gets or sets a value indicating whether the control has captured the mouse. (Inherited from Control.)
<b>CausesValidation</b>	Gets or sets a value indicating whether the control causes validation to be performed on any controls that require validation when it receives focus. (Inherited from Control.)
<b>ClientRectangle</b>	Gets the rectangle that represents the client area of the control. (Inherited from Control.)
<b>ClientSize</b>	Gets or sets the size of the client area of the form.

Propriedade	Descrição
<b>CompanyName</b>	Gets the name of the company or creator of the application containing the control. (Inherited from Control.)
<b>Container</b>	Gets the IContainer that contains the Component. (Inherited from Component.)
<b>ContainsFocus</b>	Gets a value indicating whether the control, or one of its child controls, currently has the input focus. (Inherited from Control.)
<b>ContextMenu</b>	Gets or sets the shortcut menu associated with the control. (Inherited from Control.)
<b>ContextMenuStrip</b>	Gets or sets the ContextMenuStrip associated with this control. (Inherited from Control.)
<b>ControlBox</b>	Gets or sets a value indicating whether a control box is displayed in the caption bar of the form.
<b>Controls</b>	Gets the collection of controls contained within the control. (Inherited from Control.)
<b>Created</b>	Gets a value indicating whether the control has been created. (Inherited from Control.)
<b>CurrentAutoScaleDimensions</b>	Gets the current run-time dimensions of the screen. (Inherited from ContainerControl.)
<b>Cursor</b>	Gets or sets the cursor that is displayed when the mouse pointer is over the control. (Inherited from Control.)
<b>DataBindings</b>	Gets the data bindings for the control. (Inherited from Control.)
<b>DefaultImeMode</b>	Gets the default Input Method Editor (IME) mode supported by the control. (Overrides Control.DefaultImeMode.)
<b>DefaultMargin</b>	Gets the space, in pixels, that is specified by default between controls. (Inherited from Control.)
<b>DefaultMaximumSize</b>	Gets the length and height, in pixels, that is specified as the default maximum size of a control. (Inherited from Control.)
<b>DefaultMinimumSize</b>	Gets the length and height, in pixels, that is specified as the default minimum size of a control. (Inherited from Control.)
<b>DefaultPadding</b>	Gets the internal spacing, in pixels, of the contents of a control. (Inherited from Control.)
<b>DefaultSize</b>	Gets the default size of the control. (Overrides Control.DefaultSize.)
<b>DesignMode</b>	Gets a value that indicates whether the Component is currently in design mode. (Inherited from Component.)
<b>DesktopBounds</b>	Gets or sets the size and location of the form on the Windows desktop.
<b>DesktopLocation</b>	Gets or sets the location of the form on the Windows desktop.
<b>DialogResult</b>	Gets or sets the dialog result for the form.
<b>DisplayRectangle</b>	Gets the rectangle that represents the virtual display area of the control. (Inherited from ScrollableControl.)
<b>Disposing</b>	Gets a value indicating whether the base Control class is in the process of disposing. (Inherited from Control.)
<b>Dock</b>	Gets or sets which control borders are docked to its parent control and determines how a control is resized with its parent. (Inherited from Control.)
<b>DockPadding</b>	Gets the dock padding settings for all edges of the control.

Propriedade	Descrição
	(Inherited from ScrollableControl.)
<b>DoubleBuffered</b>	Gets or sets a value indicating whether this control should redraw its surface using a secondary buffer to reduce or prevent flicker. (Inherited from Control.)
<b>Enabled</b>	Gets or sets a value indicating whether the control can respond to user interaction. (Inherited from Control.)
<b>Events</b>	Gets the list of event handlers that are attached to this Component. (Inherited from Component.)
<b>Focused</b>	Gets a value indicating whether the control has input focus. (Inherited from Control.)
<b>Font</b>	Gets or sets the font of the text displayed by the control. (Inherited from Control.)
<b>FontHeight</b>	Gets or sets the height of the font of the control. (Inherited from Control.)
<b>ForeColor</b>	Gets or sets the foreground color of the control. (Inherited from Control.)
<b>FormBorderStyle</b>	Gets or sets the border style of the form.
<b>Handle</b>	Gets the window handle that the control is bound to. (Inherited from Control.)
<b>HasChildren</b>	Gets a value indicating whether the control contains one or more child controls. (Inherited from Control.)
<b>Height</b>	Gets or sets the height of the control. (Inherited from Control.)
<b>HelpButton</b>	Gets or sets a value indicating whether a Help button should be displayed in the caption box of the form.
<b>HorizontalScroll</b>	Gets the characteristics associated with the horizontal scroll bar. (Inherited from ScrollableControl.)
<b>HScroll</b>	Gets or sets a value indicating whether the horizontal scroll bar is visible. (Inherited from ScrollableControl.)
<b>Icon</b>	Gets or sets the icon for the form.
<b>ImeMode</b>	Gets or sets the Input Method Editor (IME) mode of the control. (Inherited from Control.)
<b>ImeModeBase</b>	Gets or sets the IME mode of a control. (Inherited from Control.)
<b>InvokeRequired</b>	Gets a value indicating whether the caller must call an invoke method when making method calls to the control because the caller is on a different thread than the one the control was created on. (Inherited from Control.)
<b>IsAccessible</b>	Gets or sets a value indicating whether the control is visible to accessibility applications. (Inherited from Control.)
<b>IsDisposed</b>	Gets a value indicating whether the control has been disposed of. (Inherited from Control.)
<b>IsHandleCreated</b>	Gets a value indicating whether the control has a handle associated with it. (Inherited from Control.)
<b>IsMdiChild</b>	Gets a value indicating whether the form is a multiple-document interface (MDI) child form.
<b>IsMdiContainer</b>	Gets or sets a value indicating whether the form is a container for multiple-document interface (MDI) child forms.
<b>IsMirrored</b>	Gets a value indicating whether the control is mirrored. (Inherited from Control.)

Propriedade	Descrição
<b>IsRestrictedWindow</b>	Infrastructure. Gets a value indicating whether the form can use all windows and user input events without restriction.
<b>KeyPreview</b>	Gets or sets a value indicating whether the form will receive key events before the event is passed to the control that has focus.
<b>LayoutEngine</b>	Gets a cached instance of the control's layout engine. (Inherited from Control.)
<b>Left</b>	Gets or sets the distance, in pixels, between the left edge of the control and the left edge of its container's client area. (Inherited from Control.)
<b>Location</b>	Gets or sets the Point that represents the upper-left corner of the Form in screen coordinates.
<b>MainMenuStrip</b>	Gets or sets the primary menu container for the form.
<b>Margin</b>	Gets or sets the space between controls.
<b>MaximizeBox</b>	Gets or sets a value indicating whether the Maximize button is displayed in the caption bar of the form.
<b>MaximizedBounds</b>	Gets and sets the size of the form when it is maximized.
<b>MaximumSize</b>	Gets the maximum size the form can be resized to. (Overrides Control.MaximumSize.)
<b>MdiChildren</b>	Gets an array of forms that represent the multiple-document interface (MDI) child forms that are parented to this form.
<b>MdiParent</b>	Gets or sets the current multiple-document interface (MDI) parent form of this form.
<b>Menu</b>	Gets or sets the MainMenu that is displayed in the form.
<b>MergedMenu</b>	Gets the merged menu for the form.
<b>MinimizeBox</b>	Gets or sets a value indicating whether the Minimize button is displayed in the caption bar of the form.
<b>MinimumSize</b>	Gets or sets the minimum size the form can be resized to. (Overrides Control.MinimumSize.)
<b>Modal</b>	Gets a value indicating whether this form is displayed modally.
<b>Name</b>	Gets or sets the name of the control. (Inherited from Control.)
<b>Opacity</b>	Gets or sets the opacity level of the form.
<b>OwnedForms</b>	Gets an array of Form objects that represent all forms that are owned by this form.
<b>Owner</b>	Gets or sets the form that owns this form.
<b>Padding</b>	Gets or sets padding within the control. (Inherited from Control.)
<b>Parent</b>	Gets or sets the parent container of the control. (Inherited from Control.)
<b>ParentForm</b>	Gets the form that the container control is assigned to. (Inherited from ContainerControl.)
<b>PreferredSize</b>	Gets the size of a rectangular area into which the control can fit. (Inherited from Control.)
<b>ProductName</b>	Gets the product name of the assembly containing the control. (Inherited from Control.)
<b>ProductVersion</b>	Gets the version of the assembly containing the control. (Inherited from Control.)

Propriedade	Descrição
<b>RecreatingHandle</b>	Gets a value indicating whether the control is currently re-creating its handle. (Inherited from Control.)
<b>Region</b>	Gets or sets the window region associated with the control. (Inherited from Control.)
<b>RenderRightToLeft</b>	Obsolete. This property is now obsolete. (Inherited from Control.)
<b>ResizeRedraw</b>	Gets or sets a value indicating whether the control redraws itself when resized. (Inherited from Control.)
<b>RestoreBounds</b>	Gets the location and size of the form in its normal window state.
<b>Right</b>	Gets the distance, in pixels, between the right edge of the control and the left edge of its container's client area. (Inherited from Control.)
<b>RightToLeft</b>	Gets or sets a value indicating whether control's elements are aligned to support locales using right-to-left fonts. (Inherited from Control.)
<b>RightToLeftLayout</b>	Gets or sets a value indicating whether right-to-left mirror placement is turned on.
<b>ScaleChildren</b>	Gets a value that determines the scaling of child controls. (Inherited from Control.)
<b>ShowFocusCues</b>	Gets a value indicating whether the control should display focus rectangles. (Inherited from Control.)
<b>ShowIcon</b>	Gets or sets a value indicating whether an icon is displayed in the caption bar of the form.
<b>ShowInTaskbar</b>	Gets or sets a value indicating whether the form is displayed in the Windows taskbar.
<b>ShowKeyboardCues</b>	Gets a value indicating whether the user interface is in the appropriate state to show or hide keyboard accelerators. (Inherited from Control.)
<b>ShowWithoutActivation</b>	Gets a value indicating whether the window will be activated when it is shown.
<b>Site</b>	Gets or sets the site of the control. (Inherited from Control.)
<b>Size</b>	Gets or sets the size of the form.
<b>SizeGripStyle</b>	Gets or sets the style of the size grip to display in the lower-right corner of the form.
<b>StartPosition</b>	Gets or sets the starting position of the form at run time.
<b>TabIndex</b>	Gets or sets the tab order of the control within its container.
<b>TabStop</b>	Gets or sets a value indicating whether the user can give the focus to this control using the TAB key.
<b>Tag</b>	Gets or sets the object that contains data about the control. (Inherited from Control.)
<b>Text</b>	Gets or sets the text associated with this control. (Overrides Control.Text.)
<b>Top</b>	Gets or sets the distance, in pixels, between the top edge of the control and the top edge of its container's client area. (Inherited from Control.)
<b>TopLevel</b>	Gets or sets a value indicating whether to display the form as a top-level window.
<b>TopLevelControl</b>	Gets the parent control that is not parented by another Windows Forms control. Typically, this is the outermost Form

Propriedade	Descrição
	that the control is contained in. (Inherited from Control.)
<b>TopMost</b>	Gets or sets a value indicating whether the form should be displayed as a topmost form.
<b>TransparencyKey</b>	Gets or sets the color that will represent transparent areas of the form.
<b>UseWaitCursor</b>	Gets or sets a value indicating whether to use the wait cursor for the current control and all child controls. (Inherited from Control.)
<b>VerticalScroll</b>	Gets the characteristics associated with the vertical scroll bar. (Inherited from ScrollableControl.)
<b>Visible</b>	Gets or sets a value indicating whether the control and all its child controls are displayed. (Inherited from Control.)
<b>VScroll</b>	Gets or sets a value indicating whether the vertical scroll bar is visible. (Inherited from ScrollableControl.)
<b>Width</b>	Gets or sets the width of the control. (Inherited from Control.)
<b>WindowState</b>	Gets or sets a value that indicates whether form is minimized, maximized, or normal.
<b>WindowTarget</b>	Infrastructure. This property is not relevant for this class. (Inherited from Control.)